

Fumingwei x-ray film green sensitive is an orthochromatic medical x-ray film that provides high image quality when used in conjunction with green-emitting rare-earth screens.

Fumingwei new technology enables rapid processing of fine-grain images with high resolution. Well-suited for general radiographic such as skull, chest, and abdomen as well as extremities and angiography, it ensures stable, high-resolution images regardless of whether your facility employs super-rapid(45s). rapid(90s), low-volume or manual x-ray film processing. Its dramatic improvement in stability makes quality control easier and more efficient even on a daily basis.

Fumingwei x-ray film green sensitive contains excellent antistatic properties and remarkable surface smoothness, resulting in reliable transport in a variety of film handling systems including chest changers, cassetteless tables, and rapid film changers.

Advantages


1. High resolution, fine grain, and low fog
2. high processing stability (minimized speed and contrast variation)
3. high clarity images with bluer tint

4. resistance to decreased density kink marks.
5. transport reliability (excellent antistatic and surface smoothness characteristics)
6. consistently high quality.

Fumingwei x-ray film base material is a blue-tinted 175 μ m polyester with an emulsion layer thickness of about 5 μ m.

Exposure Time (minutes)

Fig. 3 Characteristic Curve



X-ray Sensitometry,
100 mm H₂O phantom, 80 kVp, 50 mA, 0.10 sec,
with Green screens
Processor (90 sec)
Developer at 35°C (95°F), F Fixer

Storage:

Store in a cool, dry place (The suitable temperature is 10-20oc, the humidity is 30%RH-60%RH). Keep it away from dampness, high temperature, any bad effective gases, x-ray, gamma ray or any other penetrating rays.

Stored vertically to avoid any harmful effect caused by pressure

SHENZHEN FUMINGWEI INDUSTRIAL CO., LTD.

Add: 1/F, Block 109, 1st Industiral Park, Liantang,Guowei Road, LuoHu, Shenzhen, P. R. C

Tel: +0086 0755 25736886 Cell: 0086 18926052986

skype: fumingweidella

whatsapp: 8618926052986

SUGGESTED STORAGE METHOD:

it is recommended that this film be kept in a sealed plastic bag.

The best conditions of usage should be: Temperature: 10-23^oC, humidity:40%RH-60%RH.

specifications		packing	
Centimeter	Inch	inner packing	outer packing
18x24cm	8x10in	box	carton
24x30cm	10x12in		
	11x14in		
30x40cm	12x15in	100 sheets/box	5 boxes/carton
35x35cm	14x14in		
35x43cm	14x17in		

SHENZHEN FUMINGWEI INDUSTRIAL CO., LTD.

Add: 1/F, Block 109, 1st Industrial Park, Liantang, Guowei Road, LuoHu, Shenzhen, P. R. C

Tel: +0086 0755 25736886 Cell: 0086 18926052986

skype: fumingweidella

whatsapp: 8618926052986